

Custom Food-Grade Silicone Rubber Hose 4-16mm Outer Diameter Flexible Silicone Tube with Cutting Processing Service

Our Product Introduction

for more products please visit us on needles-syringes.com

Basic Information

- Place of Origin: China
- Brand Name: seabird
- Certification: ISO/FDA/LFGB/ROHS
- Minimum Order Quantity: 100m
- Delivery Time: Within 15 working days after confirming the order
- Payment Terms: T/T,,D/P at sight



Product Specification

- Processing Service: Moulding, Cutting
- Place Of Origin: China
- Product Name: High Tenacity Food Grade Silicone Hose For Water Pipe
- Color: Transparent
- Breakdown Strength: 20KV/MM
- Outer Diameter: 10 Mm, 11 Mm
- Packing: Carton
- Working Temperature: -40~200
- Size: 0.3-80mm Can Be Custom-made



More Images





+86 13584159110



jed@jiangyinhongmeng.com



needles-syringes.com



Room 303A, 3F, No.4, Lane 58, Muchuan Road, Sijing Town, Songjiang District, Shanghai, P.R. China

Our Product Introduction

for more products please visit us on needles-syringes.com

**P
AQ**

1. What is the minimum order quantity?

A: 300 - 200 000 PCS

2. How to get samples?

Please contact sales for samples, a certain number of samples can be provided free of charge, and the express delivery fee can be negotiated

ed.If
ther
e
are
a
larg
e
nu
mb
er
of
sam
ples
,
sam
ple
cost
fees
and
cou
rier
fees
will
be
cha
rge
d

**3.P
ay
me
nt
met
hod**

A:
1)
30
%
T/T
in
adv
anc
e as
for
dep
osit,
bala
nce
bef
ore
deli
very
.or
DP
2)1
00
%
L/C
at
sign
t

**4.W
hat'
s
the
shi
ppi
ng
way
?**

A:
Reg
ardi
ng
the
sma
ll
qua
ntity

order, we can send them by FedEx/DHL, express and the large quantity goods are shipped by ocean shipping according to client's demands.

5.D
o
you
pro
vid
e
OE
M/O
DM
Ser
vic
e?
A:Yes, please send your requirements in details, we provide custom-made service to meet

different needs of global clients with different budgets.

6.Packaging & Shipping

Regarding the small quantity order, we can send them by FedEx/DHL, express and the large quantity goods are shipped by ocean shipping according to client's demands.